
SIMULTANEOUS COMPONENT AND FACTOR ANALYSIS METHODS FOR TWO OR MORE GROUPS: A COMPARATIVE STUDY

Jan Niesing



DSWO PRESS



SIMULTANEOUS COMPONENT AND FACTOR ANALYSIS METHODS FOR TWO OR MORE GROUPS: A COMPARATIVE STUDY

M&T SERIES 30

Editorial Board:

Prof.dr. J.M.F. ten Berge

Prof.dr. W.J. Heiser

Prof.dr. L.J.Th. van der Kamp

Prof.dr. J. de Leeuw

Technical Editor: L. Delvaux

Earlier publications in this series:

Jacqueline Meulman, Homogeneity Analysis of Incomplete Data.

M&T series 1, 1982

Pieter M. Kroonenberg, Three-mode Principle Component Analysis.

M&T series 2, 1983 (reprint 1989)

Jan de Leeuw, Canonical Analysis of Categorical Data.

M&T series, 1984

Ronald A. Visser, Analysis of Longitudinal Data in Behavioural and Social Research.

M&T series 4, 1985

John P. van de Geer, Introduction to Linear Multivariate Data Analysis.

M&T series 5, volume 1 & 2, 1986

Jacqueline Meulman, A Distance Approach to Nonlinear Multivariate Analysis.

M&T series 6, 1986

Jan de Leeuw, Willem Heiser, Jacqueline Meulman, Frank Critchley (editors),

Multidimensional Data Analysis.

M&T series 7, 1987

Peter G.M. van der Heijden. Correspondence Analysis of Longitudinal Categorical Data.

M&T series 8, 1987

Jan van Rijckevorsel, The Application of Fuzzy Coding and Horseshoes in Multiple

Correspondence Analysis.

M&T series 9, 1987

Abby Israëls, Eigenvalue Techniques for Qualitative Data.

M&T series 10, 1987

Eeke van der Burg, Nonlinear Canonical Correlation and Some Related Techniques.

M&T series 11, 1988

Kees van Montfort, Estimating in Structural Models with Non-normal Distributed Variables:

Some Alternative Approaches.

M&T series 12, 1989

Jan T.A. Koster, Mathematical Aspects of Multiple Correspondence Analysis for Ordinal Variables.

M&T series 13, 1989

Catrien C.J.H. Bijleveld, Exploratory Linear Dynamic Systems Analysis.

M&T series 14, 1989

Henk A.L. Kiers, Three-way Methods for the Analysis of Qualitative and Quantitative Two-way Data.

M&T series 15, 1989

Stef van Buuren, Optimal Scaling of Time Series.

M&T series 16, 1990

Rien van der Leeden, Reduced Rank Regression with Structured Residuals.

M&T series 17, 1990

Rian van Blokland-Vogelesang, Unfolding and Group Consensus Ranking for Individual Preferences.

M&T series 18, 1991

Jacques J.F. Commandeur, Matching Configurations.

M&T series 19, 1991

Herbert Hoijtink, PARELLA, Measurement of Latent Traits by Proximity Items.

M&T series 20, 1991

Wendy J. Post, Nonparametric Unfolding Models, a Latent Trait Approach.

M&T series 21, 1992

Ivo A. van der Lans, Nonlinear Multivariate Analysis for Multiattribute Preference Data.

M&T series 22, 1992

Wim P. Krijnen, The Analysis of Three-Way Arrays by Constrained Parafac Methods.

M&T series 23, 1992

Marijtje A.J. van Duijn, Model for Repeated Counts

M&T series 24, 1993

Jos M.F. ten Berge, Least Squares Optimization in Multivariate Analysis.

M&T series 25, 1993

Patrick J.F. Groenen, The Majorization Approach to Multidimensional Scaling: Some Problems and Extensions.

M&T series 26, 1993

Peter Verboon, A Robust Approach to Nonlinear Multivariate Analysis.

M&T series 27, 1994

Monica Th. Markus, Bootstrap Confidence Regions in Non-Linear Multivariate Analysis.

M&T series 28, 1994

Frits Meijerink, A Nonlinear Structural Relations Model.

M&T series 29, 1995

Jan Niesing, Simultaneous Component and Factor Analysis Methods for Two or More

Groups: A Comparative Study.

M&T series 30, 1997

Available form DSWO Press Leiden University P.O. Box 9555 2300 RB Leiden The Netherlands Tel. (071) 5273795 / 5273794 Fax (071) 5273619



SIMULTANEOUS COMPONENT AND FACTOR ANALYSIS METHODS FOR TWO OR MORE GROUPS: A COMPARATIVE STUDY

Jan Niesing

DEPARTMENT OF PSYCHOLOGIE University of Groningen

1997 DSWO Press, Leiden University, The Netherlands

© 1997 DSWO Press, Leiden University, The Netherlands All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior permission of the publisher.

© Cover design: J. Niesing and Infofilm, Roger Busschots, Leiden Printed by 'HAVEKA b.v.' and by Printing office 'Karstens drukkers/designers', Leiden

CIP-Data Koninklijke Bibliotheek Subject Headings: Principle Component Analysis, Factor Analysis, Cross Sectional Data Analysis ISSN 0928-1088-30 ISBN 90-6695-134-6

ACKNOWLEDGEMENT

The past four years I have worked at my Ph.D. thesis with great pleasure. Many people have helped me with me and my study and the time for a grateful "thank you" has finally come.

First of all, I would like to thank Jos ten Berge and Henk Kiers for their intense coaching, their sharp and always useful comments, and making sure that this wild goose would keep focused on the study instead of flying around without direction (which is also fun, but does not get you anywhere). Furthermore they kept me from being too wordy, otherwise you would be holding only the first volume in a series of books about my research instead of the shortened version you are holding now.

For advices on the use of factor analysis methods and the analyses of the results from the experiments conducted I would like to thank Anne Boomsma and Tom Snijders, respectively. For reading the final manuscript I would like to thank the members of the review committee, prof. dr. G.J. Mellenbergh, prof. dr. W. Molenaar and prof. dr. W.J. Heiser.

A lot of pleasure came from the enjoyable atmosphere on the fourth floor of the Heymans building, where the department of Personality Psychology and the department of Statistics and Measurement Theory are located. Of the fourth floor colleagues I would especially like to mention my ex-room mates Francis Tuerlinckx, Jeroen Heres, and, last but not least, Gertrude Smit, with whom I shared my good and bad times.

As regards the graduation ceremony, I am very grateful to Wander Jager and Roy Bradwolff for assisting me and to get things organized.

Finally, I would like to thank my brother Wim and my parents Alie en Henk Niesing, for their strong and loving support throughout my study.



CONTENTS

1.1

1.2

CHAPTER 1 GENERALIZED COMPONENTS ANALYSIS

Principal Components Analysis

Introduction

1.3	Comparing the Varimax rotated components		
1.4	Applying the Generalized Procrustes Rotation		
1.5	Methods for simultaneous analysis in two or more groups, use		
	in the present study	7	
1.6	Goals of the present study	9	
1.7	Other methods for the simultaneous analysis in two or more		
	groups: IDIOSCAL, PARAFAC2 and INDSCAL	10	
1.7.1	Multidimensional Scaling	11	
1.7.2	IDIOSCAL	11	
1.7.3	PARAFAC2	12	
1.7.4	INDSCAL	14	
1.7.5	Reasons for not selecting the MDS methods	15	
1.8	Discarding the Partial Common Principal Components method	15	
1.8.1	Partial Common Principal Components (PCPC)	15	
1.8.2	Reasons for discarding PCPC	16	
1.9	Factor Analysis versus Components Analysis in the one group		
	situation	18	
1.10	The organization of the present study	21	
CHAPT	ER 2 THE METHODS UNDER INVESTIGATION		
2.1	Introduction	23	

1

2

2.2	Simultaneous Components Analysis methods 23				
2.2.1	SCA-W 24				
2.2.2	SCA-P 25				
2.2.3	SCA-S	26			
2.3	A Simultaneous Factor Analysis method				
2.3.1	Simultaneous Factor Analysis in Several Populations, using a				
	Maximum Likelihood estimation procedure (SIFASP-ML)	26			
2.3.2	Identification of parameters	28			
2.4	Rotations used to facilitate interpretation of the solutions,				
	found with the methods of analysis	29			
2.4.1	HKIC Rotation of the SCA-P and the SIFASP-ML solution	30			
2.4.2	Hakstian's Rotation of the SCA-W solution	31			
2.4.3	Simple Structure Rotation of the SCA-S solution	31			
2.5	Measures of fit for the SCA methods and SIFASP-ML	32			
2.5.1	Explained variances of the SCA-W solutions	32			
2.5.2	Explained variances of the SCA-P solutions	33			
2.5.3	Explained variances of the SCA-S solutions	33			
2.5.4	The Chi-Square measure for SIFASP-ML	34			
2.6	First comparison of the methods	34			
2.6.1	Comparisons of PCA-sep, SCA-W, SCA-P and SCA-S 34				
2.6.2	.6.2 Comparison of the SCA-methods with SIFASP-ML				
СНАРТ	TER 3 CONSTRUCTING DATA WITH KNOWN FACTOR STRUCT	ΓURE			
3.1	Introduction	37			
3.1.1	Terminology	37			
3.2	Description of the data construction	38			
3.2.1	Choosing a true pattern matrix \mathbf{P}_{tk} and defining a true				
	structure matrix \mathbf{S}_{tk} when simulating a correlation or a				
	covariance matrix	39			
3.2.2	The non-uniqueness of the true weights matrix \mathbf{W}_{tk}	41			
3.3	Definition of data categories	42			
3.3.1	Sampling from one population	43			

3.3.2	Sampling from two or more populations	43	
3.3.3	Explained variances in the populations		
3.4	A measure for the similarity of populations		
3.4.1	The Congruence Measure	46	
CHAPTI	•		
	AND SUCCESS CRITERIA		
4.1	Manipulations	49	
4.1.1	Independent Variables	49	
4.1.2	The true matrices underlying the constructed data	51	
4.2	Dimension indicators for the SCA-methods	53	
4.2.1	Additional value greater than one (KA1)	53	
4.2.2	Parallel Analysis (PA)	54	
4.2.3	The Quotient of Additional values (QA)	55	
4.2.4	The Quotient of Differences in Additional values (QDA)	57	
4.2.5	The use of the dimension indicators in the present study	58	
4.3	Dimension indicators for the method SIFASP-ML	59	
4.3.1	The Chi-square statistic	61	
4.3.2	The Sequential Chi-square Difference Test (SCDT)	62	
4.3.3	Root Mean Square Error of Approximation (RMSEA)	63	
4.3.4	Expected Cross-Validation Index (ECVI)	65	
4.3.5	Check of fit indices for the model with the correct dimension	67	
4.3.6	The use of the fit indices as dimension indicators in the		
	present study	67	
4.3.7	Checks on the solutions of LISREL 8	68	
4.4	Success Criteria	69	
4.4.1	The Recovery Rate (RR)	69	
4.4.2	The Difference in Factor correlations (DFC)	70	
4.4.3	Additional criteria for the SCA-methods: Amounts of explained		
	variance	70	
4.5	Pilot experiment to determine the preferable range of noise to		
	signal ratios for constructed data, using the SCA-methods	71	

4.5.1	Data	71		
4.5.2	Measures			
4.5.3	Results			
4.5.4	Conclusion about meaningful noise levels			
4.6	Pilot experiment to determine the preferable convergence value			
	for the iterative procedures in the methods SCA-W and SCA-S	75		
4.6.1	Data	76		
4.6.2	Measures	76		
4.6.3	Results			
4.6.4	4 Conclusion about meaningful convergence criteria			
СНАРТ	ER 5 EXPERIMENT 1, FIRST COMPARISON OF THE THREE			
	SCA-METHODS			
5.1	Introduction	79		
5.2	Manipulations of the data	79		
5.2.1	One-population data	80		
5.2.2	Two-or-more-populations data	81		
5.3	Dependent Variables	81		
5.4	Analysis	83		
5.5	Questions to be answered by this experiment	85		
5.6	Results	86		
5.6.1	Finding the preferable dimension indicator	87		
5.6.2	Finding the SCA-method with the best dimension indication	91		
5.6.3	Finding the SCA-method with the best recovery of factors	96		
5.6.3.1	Samples from one population	101		
5.6.3.2	Samples from two populations	103		
5.6.4	Finding the SCA-method with the best recovery of correlations			
	between factors	108		
5.6.5	Discerning the 'samples from one population' from the			
	'samples from two populations' condition	110		
5.6.6	Recovery of factors for specific cases of samples from one			
	population	115		

CHAPT	ER 6 EXPERIMENT 2, TESTING THE METHOD SIFASP-ML	
6.1	Introduction	121
6.2	Manipulations of the data	121
6.3	Dependent Variables	122
6.4	Analysis	122
6.5	Questions to be answered by this experiment	124
6.6	Results	124
6.6.1	Finding the preferable dimension indicator for SIFASP-ML	125
6.6.2	Determining the method with the best recovery of factors	132
6.6.2.1	Samples from one population	133
6.6.2.2	Samples from two populations	135
6.6.3	Determining the method with the best recovery of correlations	
	between factors	137
6.6.4	Frequency of bad fit for the solution with the correct	
	dimension	139
6.7	Conclusion	141
СНАРТ	ER 7 EXPERIMENT 3, COMPARISON OF THE SCA-METHODS, THE STRENGTH OF FACTORS WITH THE SAME INTERPRETATION DIFFERS ACROSS GROUPS	WHEN
7.1	Introduction	143
7.2	Manipulations of the data	143
7.3	Dependent Variables	145
7.3.1	A problem with the method SCA-S in some of the conditions	
	studied	145
7.3.2	A measure used for inspecting whether the relative strength	
	of the recovered factors resembles the relative strength of	
	the true factors: the Quotient of Component Strengths (QCS)	147

7.4	Analysis	148
7.5	Questions to be answered by this experiment	148
7.6	Results Experiment 3a	149
7.6.1	Finding the SCA-method with the best dimension indication	150
7.6.2	Finding the SCA-method with the best recovery of factors	152
7.6.3	Finding the SCA-method with the best recovery of the relative	
	strength of factors	154
7.6.4	Finding the SCA-method with the best recovery of correlations	
	between factors	157
7.7	Results Experiment 3b	159
7.7.1	Finding the SCA-method with the best dimension indication	159
7.7.2	Finding the SCA-method with the best recovery of factors	159
7.7.3	Finding the SCA-method with the best recovery of the relative	
	strength of factors	160
7.7.4	Finding the SCA-method with the best recovery of correlation	
	between factors	162
7.8	Conclusion	162
СНАРТ	FER 8 EXPERIMENT 4, COMPARISON OF THE SCA-METHODS SIFASP-ML-C, FOR VARIOUS CONDITIONS	AND
8.1	Introduction	165
8.2	Manipulations of the data	165
8.3	Dependent Variables	166
8.4	Analysis	167
8.5	Questions to be answered by this experiment	167
8.6	Results Experiment 4	168
8.6.1	Experiment 4a: Four groups	168
8.6.2	Experiment 4b: Samples of $n=300$, $n=500$ and $n=1000$	169
8.6.3	Experiment 4c: Overlapping factors	172
8.7	Conclusion	173

CHAPTER 9 CONCLUSION AND DISCUSSION

9.1	Overview of the results and discussion		175
9.1.1	The preferable method: SCA-P		
9.1.2	Cha	racteristics of the methods SCA-S, SCA-W and SIFASP-ML	177
9.1.3	Res	ults for the dimension indicators	179
9.1.4	The	discriminant function for discerning samples from one	
	pop	ulation from samples from two populations	181
9.2	Lim	itations of the present study	182
9.2.1	Bey	ond the values of the independent variables	182
9.2.2	Dat	a simulation	183
9.2.3	Met	hods and rotations	184
9.3	Use	r friendliness of the programs used	184
9.4	Gui	delines when analyzing data from two or more groups	186
Appendi	ix A	True pattern matrices (of order 12×2 and 12×4) used in	
		this study	189
Append	ix B	Identification constraints used for the LISREL program	192
Append	ix C	Deriving the largest possible difference in explained	
		variance between the methods SCA-W and SCA-P in case	
		two rank q matrices are analyzed	194
Append	ix D	Examining real life data	195
		D.1 Meredith (1964) data	195
		D.2 Van Schuur (1984) data	199
Refere	nces		205
Summa	ry (i	n Dutch)	211
Author	Author index		217

